


| CITROEN (F)            |  |  |  |  |  |  |  |  |  |
|------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| 2CV (AZA) (Sept. 1965) | 1-3/<br>0°10'-0°30'                                                               | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| 2CV (AZAM)             | 1-3/<br>0°10'-0°30'                                                               | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| 2CV (AZV)              | 1-3/<br>0°10'-0°30'                                                               | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| 3CV (AM-AMB) (1965)    | 1-3/<br>0°10'-0°30' *1                                                            | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| 3CV (AMC-AMF-AK)       | 1-3/<br>0°10'-0°30' *1                                                            | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| 2CV (AYA) (1967)       | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| Dyane (AYA-PA)         | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| Dyane 6 AYA3 (jan.68)  | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| Dyane 4AYA2 (mars 68)  | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| Dyane 6AYB (oct. 68)   | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°30'                                                                             | 11°-15°                                                                            | 6°30'±15'                                                                          | -                                                                                   | 0-8/<br>0°-1°20'                                                                    | 0°-0°30'                                                                           |  |
| DS 21 (sept. 65)       | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 21 M                | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 19 a/DS 19 Ma       | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| Break 19 a/21          | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |

Observations :

\*1 - A partir de mai 1968 = 0-3 mm d'ouverture / 0°-0°30' d'ouverture


NOTA : Les réglages sont effectués à vide.

| CITROEN (F)             |  |  |  |  |  |  |  |  |  |
|-------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| ID 19 a                 | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| ID 19 b - ID 20         | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| Break 21 M              | -                                                                                | 2-4/<br>0°20'60°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 20/21                | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 20 M                 | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| Break 20/20 M           | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 21 M                 | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°/-0°15'                                                                         | 1°30'                                                                              | 1°±15'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS spécial/Super(70-72) | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°15'±30'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 20/21                | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°15'±30'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 21 injection         | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | 0°15'±30'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS spécial/Super (1973) | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | *1                                                                                | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| D Super S/DS20/DS23     | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | *1                                                                                | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 20 break/DS23 break  | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | *1                                                                                | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |
| DS 23 injection         | -                                                                                | 2-4/<br>0°20'-0°40'                                                              | *1                                                                                | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | 0°-0°15'                                                                           |  |

Observations :

\*1 - Différence entre côté gauche et droit = 0°15' maxi

NOTA : Les réglages sont effectués à vide.

| CITROEN (F)             |  |  |  |  |  |  |  |  |  |
|-------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Familiale 20/23         | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| Commerciale 20          | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 19 Pallas (1967)     | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 20 Pallas            | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 23 Pallas            | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 23 Prestige          | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 23 Prestige / Pallas | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| DS 21 Cabriolet         | -                                                                                 | 2-4/<br>0°20'-0°40'                                                               | 0°/-0°15'                                                                         | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°-0°15'                                                                           |  |
| 2CV4 (1970/1973)        | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |
| 2CV6                    | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |
| Dyane 4                 | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |
| 2CV4/2CV6 (1974 →)      | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°±30'                                                                            | 15°                                                                                | 6°30'±15'                                                                          | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |
| Dyane 4/6 (1974 →)      | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°±30'                                                                            | 15°                                                                                | 6°30'±15'                                                                          | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |
| Méhari                  | 0-3/<br>0°-0°30'                                                                  | -                                                                                 | 1°±30'                                                                            | 15°                                                                                | 6°30'±15'                                                                          | -                                                                                   | 0+4/<br>0°±0°40'                                                                    | 0°-0°30'                                                                           |  |

Observations :

NOTA : Les réglages sont effectués à vide.



| CITROEN (F)            |  |  |  |  |  |  |  |  |
|------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Dyane 4 (1967-69)      | 0-4/<br>0°-0°40'                                                                 | -                                                                                | 1°                                                                                | 15°                                                                                | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°±30'                                                                             |
| Dyane 6 (1968-69)      | 0-4/<br>0°-0°40'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 15°                                                                                | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°±30'                                                                             |
| Méhari 6 (1968-69)     | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 15°                                                                                | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Dyane 6 (1970-73)      | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Méhari 6               | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Ami 6/Club (1964-69)   | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Ami 8                  | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Ami 8/break (1970-73)  | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 1°+ 45'<br>- 25'                                                                  | 11°-15°                                                                            | 6°30'                                                                              | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°-0°30'                                                                           |
| Ami 8/break (1974)     | 1-3/<br>0°10'-0°30'                                                              | -                                                                                | 1°±30'                                                                            | 15°                                                                                | 6°30'±15'                                                                          | -                                                                                  | 0±4/<br>0°-0°40'                                                                   | 0°-0°30'                                                                           |
| Ami Super (1974)       | 1-3/<br>0°10'-0°30'                                                              | -                                                                                | 1°30'±45'<br>-25'                                                                 | 5°20'                                                                              |                                                                                    | -                                                                                  | 0±2/<br>0°±20'                                                                     | 0°-0°30'                                                                           |
| Ami Super break (1974) | 1-3/<br>0°10'-0°30'                                                              | -                                                                                | 1°30'±45'<br>-25'                                                                 | 5°20'                                                                              |                                                                                    | -                                                                                  | 0±2/<br>0°±20'                                                                     | 0°-0°30'                                                                           |
| SM (1970-72)           | -                                                                                | 3-5/<br>0°30'-0°50'                                                              | *1                                                                                | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | *1                                                                                 |
| SM injection (1973)    | -                                                                                | 0±1/<br>0°±10'                                                                   | *1                                                                                | 1°42'±4'                                                                           | 0°±30'                                                                             | -                                                                                  | 0-2/<br>0°-0°20'                                                                   | *1                                                                                 |
| GS Confort (1971-72)   | -                                                                                | 0-2/<br>0°-0°20'                                                                 | 0°-1°                                                                             | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0±4/<br>0°±40'                                                                     | 0°±15'                                                                             |

#### Observations :

\*1 - Carrossage AV et AR. Différence en gauche et Droite de 0°15' maxi

NOTA : Les réglages sont effectués à vide.

| CITROEN ( F )               |  |  |  |  |  |  |  |  |  |
|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| GS/Club                     | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°-1°                                                                             | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0±4/<br>0°±40'                                                                      | 0°±15'                                                                             |  |
| GS break                    | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°-1°                                                                             | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                   | 0±4/<br>0°±40'                                                                      | 0°±15'                                                                             |  |
| GS 1 litre/Club (1973)      | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| Pallas/X/X2                 | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| GS 1220 (1973)              | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| GS 1220 break               | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| GS 1220 Service             | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| GS Birotor (1973)           | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±40'                                                                            | 0°+0°<br>-1°40'                                                                    | 0°±30'                                                                             | -                                                                                   | 0-2/<br>0°-0°20'                                                                    | 0°±40'                                                                             |  |
| GS X 3                      | -                                                                                 | 0-2/<br>0°-0°20'                                                                  | 0°±1°                                                                             | 1°15' +1°25'<br>-1°15'                                                             |                                                                                    | -                                                                                   | 0-5/<br>0°-0°50'                                                                    | 0°40'                                                                              |  |
| CX 2000 (1974)              | -                                                                                 | 1-4/<br>0°10'-0°40'                                                               | 0°+0°13'<br>-0°29'                                                                | -0°25'/1°15'                                                                       |                                                                                    | -                                                                                   | 1-4/<br>0°10'-0°40'                                                                 | 0°+0°<br>-0°24'                                                                    |  |
| CX 2200 (1975)              | -                                                                                 | 1-4/<br>0°10'-0°40'                                                               | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  |                                                                                    | -                                                                                   | 1-4/<br>0°10'-0°40'                                                                 | 0°+0°<br>-0°24'                                                                    |  |
| CX 2200 Diesel              | -                                                                                 | 1-4/<br>0°10'-0°40'                                                               | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  |                                                                                    | -                                                                                   | 1-4/<br>0°10'-0°40'                                                                 | 0°+0°<br>-0°24'                                                                    |  |
| CX 2200 Pallas/<br>Prestige | -                                                                                 | 1-4/<br>0°10'-0°40'                                                               | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  |                                                                                    | -                                                                                   | 1-4/<br>0°10'-0°40'                                                                 | 0°+0°<br>-0°24'                                                                    |  |
| CX 2400- CX 2400 GTI        | -                                                                                 | 1±4/<br>0°10'±0°40'                                                               | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  |                                                                                    | -                                                                                   | 1-4/<br>0°10'-0°40'                                                                 | 0°+0°<br>-0°24'                                                                    |  |

### Observations :

NOTA : Les réglages sont effectués à vide.

1982-1

| CITROEN (F)                     |   |   |                       |                    |                        |            |   |                       |                 |
|---------------------------------|---|---|-----------------------|--------------------|------------------------|------------|---|-----------------------|-----------------|
| CX 2500 D                       | - | - | 1-4/<br>0°10' - 0°40' | 0°+0°13'<br>-0°29' | -0°25' /<br>-1°15'     | 5°35'      | - | 1-4/<br>0°10' - 0°40' | 0°+0°<br>-0°24' |
| LN (1977→)                      | - | - | 1±1/<br>0°10' ±10'    | 0°13' ±30'         | 3°17' ±30'             | 9°45' ±30' | - | 2±1/<br>0°20' ±10'    | -1°±30'         |
| Visa (VD1) 4 CV<br>Spécial Club | - | - | 1±1/<br>0°10' ±10'    | 0°45' ±30'         | 2°37' ±30'             | 9°05' ±40' | - | 2,5±1/<br>0°25' ±10'  | -1°±30'         |
| Visa (VD2) 5 CV<br>Super        | - | - | 1±1/<br>0°10' ±10'    | 0°34' ±30'         | 2°52'                  | 9°20' ±40' | - | 2,5±1/<br>0°25' ±10'  | -1°±30'         |
| Acadiane<br>Fourgonnette 3 CV   | - | - | 1-3/<br>0°10' - 0°30' | 1°+45'<br>-25'     | 15° *1                 |            | - | 0-4/<br>0° - 0°40'    | 0° - 0°30'      |
| A partir de Sept. 1979          |   |   |                       |                    |                        |            |   |                       |                 |
| GSA Club                        | - | - | 0-2/<br>0° - 0°20'    | 0° - 1°            | 1°30'                  | 0°±30'     | - | 0±4/<br>0°±40'        | 0°±15'          |
| GSA Pallas                      | - | - | 0-2/<br>0° - 0°20'    | 0°±1°              | 1°15' +1°25'<br>-1°15' | 0°±30'     | - | 0-2/<br>0° - 0°20'    | 0°±40'          |
| GSA X 3                         | - | - | 0-2/<br>0° - 0°20'    | 0°±1°              | 1°15' +1°25'<br>-1°15' |            | - | 0-5/<br>0° - 0°50'    | 0° 40'          |
| CX Athéna                       | - | - | 1-4/<br>0°10' - 0°40' | 0°+0°13'<br>-0°29' | -0°25' /<br>-1°15'     | 5°35'      | - | 1-4/<br>0°10' - 0°40' | 0°+0°<br>-0°24' |
| CX Reflex/break                 | - | - | 1-4/<br>0°10' - 0°40' | 0°+0°13'<br>-0°29' | -0°25' /<br>-1°15'     | 5°35'      | - | 1-4/<br>0°10' - 0°40' | 0°+0°<br>-0°24' |
| L N A                           | - | - | 1±1/<br>0°10' ±10'    | 0°48' ±30'         | 2°48' ±30'             | 9°04' ±40' | - | 2±1/<br>0°20' ±10'    | -1°±30'         |
| Visa "Sextant"                  | - | - | 1±1/<br>0°10' ±10'    | 0°34' ±30'         | 2°52'                  | 9°20' ±40' | - | 2,5±1/<br>0°25' ±10'  | -1°±30'         |
| Visa II Super E                 | - | - | 1±2 /<br>0°10' ±20'   | 0°45' ±30'         | 2°37' ±30'             | 9°05' ±40' | - | 2±2 /<br>0°20' ±10'   | -1°±30'         |

## Observations :

NOTA : Les réglages sont effectués à vide.

\*1 - Non réglable.



1982-2

| CITROEN (F)           |   |                                       |                                         |                                 |                        |   |                                         |                                      |  |
|-----------------------|---|---------------------------------------|-----------------------------------------|---------------------------------|------------------------|---|-----------------------------------------|--------------------------------------|--|
| Visa super E          | - | $1\frac{1}{2} / 0^{\circ}10' \pm 20'$ | $0^{\circ}34' \pm 30'$                  | $1^{\circ}33' \pm 30'$          | $9^{\circ}20' \pm 40'$ | - | $2\frac{1}{2} / 0^{\circ}20' \pm 20'$   | $1^{\circ} \pm 30'$                  |  |
| Visa super X          | - | $1\frac{1}{2} / 0^{\circ}10' \pm 20'$ | $0^{\circ}26' \pm 30'$                  | $2^{\circ}29' \pm 30'$          | $9^{\circ}30' \pm 40'$ | - | $2\frac{1}{2} / 0^{\circ}20' \pm 20'$   | $1^{\circ} \pm 30'$                  |  |
| CX Diesel super       | - | $1-4 / 0^{\circ}10' - 0^{\circ}40'$   | $0^{\circ}+0^{\circ}13' - 0^{\circ}29'$ | $-0^{\circ}25' / -1^{\circ}15'$ | $5^{\circ}35'$         | - | $1-4 / 0^{\circ}10' - 0^{\circ}40'$     | $0^{\circ}+0^{\circ} - 0^{\circ}24'$ |  |
| C25D - Type 1000      | - | $1-3 / 0^{\circ}10' - 0^{\circ}30'$   | $2^{\circ} \pm 30'$                     | $0^{\circ} - 1^{\circ} *1$      | $11^{\circ}$           |   |                                         |                                      |  |
| C25D - Type 1300      | - | $1-3 / 0^{\circ}10' - 0^{\circ}30'$   | $2^{\circ} \pm 30'$                     | $0^{\circ} - 1^{\circ} *1$      | $11^{\circ}$           |   |                                         |                                      |  |
| VISA GT               | - | $1\frac{1}{2} / 0^{\circ}10' \pm 20'$ | $0^{\circ}30' \pm 30'$                  | $3^{\circ}06' \pm 30'$          | $9^{\circ}35' \pm 40'$ | - | $-4 / -0^{\circ}40'$                    | $-1^{\circ}30'$                      |  |
| GSA Spécial (berline) | - | $0-2 / 0^{\circ} - 0^{\circ}20'$      | $0^{\circ} - 1^{\circ}$                 | $1^{\circ}30'$                  | $0^{\circ} \pm 30'$    | - | $0\frac{1}{4} / 0^{\circ} \pm 40'$      | $0^{\circ} \pm 15'$                  |  |
| GSA X1 (berline)      | - | $0-2 / 0^{\circ} - 0^{\circ}20'$      | $0^{\circ} - 1^{\circ}$                 | $1^{\circ}30'$                  | $0^{\circ} \pm 30'$    | - | $0\frac{1}{4} / 0^{\circ} \pm 40'$      | $0^{\circ} \pm 15'$                  |  |
| break GSA             | - | $0-2 / 0^{\circ} - 0^{\circ}20'$      | $0^{\circ} - 1^{\circ}$                 | $1^{\circ}30'$                  | $0^{\circ} \pm 30'$    | - | $0\frac{1}{4} / 0^{\circ} \pm 40'$      | $0^{\circ} \pm 15'$                  |  |
| break GSA Spécial     | - | $0-2 / 0^{\circ} - 0^{\circ}20'$      | $0^{\circ} - 1^{\circ}$                 | $1^{\circ}30'$                  | $0^{\circ} \pm 30'$    | - | $0\frac{1}{4} / 0^{\circ} \pm 40'$      | $0^{\circ} \pm 15'$                  |  |
| break GSA Club        | - | $0-2 / 0^{\circ} - 0^{\circ}20'$      | $0^{\circ} - 1^{\circ}$                 | $1^{\circ}30'$                  | $0^{\circ} \pm 30'$    | - | $0\frac{1}{4} / 0^{\circ} \pm 40'$      | $0^{\circ} \pm 15'$                  |  |
| LNA Entreprise 4 CV   | - | $1\frac{1}{2} / 0^{\circ}10' \pm 10'$ | $0^{\circ}48' \pm 30'$                  | $2^{\circ}48' \pm 30'$          | $9^{\circ}04' \pm 40'$ | - | $2\frac{1}{2} / 0^{\circ}20' \pm 10'$   | $-1^{\circ} \pm 30'$                 |  |
| LNA Entreprise 6 CV   | - | $1\frac{1}{2} / 0^{\circ}10' \pm 10'$ | $0^{\circ}48' \pm 30'$                  | $2^{\circ}48' \pm 30'$          | $9^{\circ}04' \pm 40'$ | - | $2\frac{1}{2} / 0^{\circ}20' \pm 10'$   | $-1^{\circ} \pm 30'$                 |  |
| VISA/ L/ Entreprise   | - | $1\frac{1}{2} / 0^{\circ}10' \pm 10'$ | $0^{\circ}45' \pm 30'$                  | $2^{\circ}37' \pm 30'$          | $9^{\circ}05' \pm 40'$ | - | $2,5\frac{1}{2} / 0^{\circ}25' \pm 10'$ | $-1^{\circ} \pm 30'$                 |  |

## Observations :

Les réglages sont effectués à vide.

\*1 - Règlable avec cales.

1983-1

| CITROEN (F)                                   |  |  |  |  |  |  |  |  |    |
|-----------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|----|
| GSA Spécial Entreprise                        | -                                                                                | 0-2/<br>0°0'0"±20'                                                               | 0°-1°                                                                             | 1°30'                                                                              | 0°±30'                                                                             | -                                                                                  | 0°±4/<br>0°±40'                                                                    | 0°±15'                                                                             |    |
| VISA II Chrono                                | -                                                                                | 1±1/<br>0°10'±10'                                                                | 0°35'±30'                                                                         | 3°30'±30'                                                                          | 9°20'±40'                                                                          | -                                                                                  | 2±2/<br>0°20'±20'                                                                  | -1°±30'                                                                            |    |
| LNA RE                                        | -                                                                                | 2,5±1/<br>0°25'±10'                                                              | 0°55'±45'                                                                         | 4°±35'                                                                             | 9°20'±40'                                                                          | -                                                                                  | 1,5±1/<br>0°15'±10'                                                                | -1°±30'                                                                            |    |
| CX20 / TRE                                    | -                                                                                | 1-4/<br>0°10'-0°40'                                                              | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  | 5°35'                                                                              | -                                                                                  | 1-4/<br>0°10'-0°40'                                                                | 0° +0°<br>-0°24'                                                                   |    |
| CX25 D                                        | -                                                                                | 1-4/<br>0°10'-0°40'                                                              | 0°+0°13'<br>-0°29'                                                                | -0°25'/<br>-1°15'                                                                  | 5°35'                                                                              | -                                                                                  | 1-4/<br>0°10'-0°40'                                                                | 0°+0°<br>-0°24'                                                                    |    |
| "LNA Entreprise"<br>Type RB Série RE Modifiée | -                                                                                | 1±1/<br>0°10'±10'                                                                | 0°48'±30'                                                                         | 2°48'±30'                                                                          | 9°04'±30'                                                                          | -                                                                                  | 2±1/<br>0°20'±10'                                                                  | -1°±30'                                                                            | *1 |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |
|                                               |                                                                                  |                                                                                  |                                                                                   |                                                                                    |                                                                                    |                                                                                    |                                                                                    |                                                                                    |    |

## Observations :

Les réglages sont effectués à vide.

\*1 - Hauteur sous plancher = 200 ±10 mm (avant - 286 ± 10 mm (arrière)

Pour le contrôle arrière = hauteur du sol au centre de l'articulation extérieure de bras sur caisse 286 ± 10 mm.




1984-1


| CITROEN (F) |   |                  |        |        |     |   |                  |         |
|-------------|---|------------------|--------|--------|-----|---|------------------|---------|
| BX          | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9'±20' |
| BX 14E      | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9'±20' |
| BX 14RE     | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9'±20' |
| BX 16RS     | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9'±20' |
| BX 16TRS    | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9'±20' |
| BX 19D      | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9°±20' |
| BX 19TRD    | - | 0-3/<br>0°-0°30' | 0°±30' | 2°±35' | 12° | - | 0-4/<br>0°-0°40' | -9°±20' |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |
|             |   |                  |        |        |     |   |                  |         |

Observations :

Réglages effectués à vide.

| CITROEN (F)                                |  |  |  |  |  |  |  |  |  |
|--------------------------------------------|----------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|--|
| Séries "N,K et CAR"<br>350-370-450-480-530 | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 1°30'-1°40'                                                                        | 10°                                                                                |                                                                                    |                                                                                    |                                                                                    |  |
| Séries "P"<br>600-700-800 et 850 (1965)    | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 2°30'                                                                              | 10°                                                                                |                                                                                    |                                                                                    |                                                                                    |  |
| Série "H"<br>1000 et 1600                  | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°±30'                                                                            | 0°-1°                                                                              | 10°                                                                                |                                                                                    |                                                                                    |                                                                                    |  |
| C 32 - C 35                                | 0-3/<br>0°-0°30'                                                                 | -                                                                                | 0°30'-2°                                                                          | 0°-1°45'                                                                           | 10°                                                                                | -                                                                                  | 0-3/<br>0°-0°30'                                                                   | 0°±30'                                                                             |  |
| 850kg - HY72 (sept. 65)                    | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| 1500 kg - HZ 72                            | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| HY 78                                      | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| HZ 78                                      | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| HYIN                                       | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| HZIN                                       | 0-2/<br>0°-0°20'                                                                 | -                                                                                | 1°30'                                                                             | 0°+0°<br>-1°                                                                       | 1°30'                                                                              |                                                                                    |                                                                                    |                                                                                    |  |
| N 350-P600(déc. 1965)                      | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 2°30'                                                                              | 7°                                                                                 |                                                                                    |                                                                                    |                                                                                    |  |
| P 700 (Oct. 1966)                          | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 2°30'                                                                              | 7°                                                                                 |                                                                                    |                                                                                    |                                                                                    |  |
| N450 (déc. 1967)                           | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 2°30'                                                                              | 7°                                                                                 |                                                                                    |                                                                                    |                                                                                    |  |
| P 700 Tracteur- P 800<br>(jan. 68)         | -                                                                                | 1-3/<br>0°10'-0°30'                                                              | 2°                                                                                | 2°30'                                                                              | 7°                                                                                 |                                                                                    |                                                                                    |                                                                                    |  |

Observations :

| CITROEN ( F )                  |  |  |  |  |  |  |  |  |
|--------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| AZU - 250 kg                   | 1-3/<br>0°10' - 0°30'                                                             | -                                                                                 | 1°30' ± 30'                                                                       |                                                                                    |                                                                                    |                                                                                     |                                                                                     | 0°30' ± 30'                                                                        |
| AK - 2CV ( 4X4 )               | 1-3/<br>0°10' - 0°30'                                                             | -                                                                                 | 1°30'                                                                             |                                                                                    |                                                                                    |                                                                                     |                                                                                     | 0°30' - 1°                                                                         |
| AK (Fourgonnette)              | -                                                                                 | 0-8/<br>0° - 1°20'                                                                | 1°30'                                                                             | 15°                                                                                |                                                                                    |                                                                                     |                                                                                     | 0°30' - 1°                                                                         |
| HZ 850 kg - 1200 kg            | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HY1500 kg-HY72 ES              | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HY72DI (bêtaillère étanche).   | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HY72 DI-72ES (bétail-<br>lère) | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HY72 DI-72ES (plateau)         | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HY72 DI-72ES (fourgon)         | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HZDI-HZES (plateau)            | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
| HZDI-HZES (fourgon)            | 2/0°20'<br>(maxi)                                                                 | -                                                                                 | 1° ± 30'                                                                          |                                                                                    | +1° (maxi)                                                                         |                                                                                     |                                                                                     |                                                                                    |
|                                |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                    |
|                                |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                    |
|                                |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                    |                                                                                     |                                                                                     |                                                                                    |

Observations :



A diagram showing a vertical rod fixed at its base to a horizontal surface. A horizontal force, labeled 'C', is applied to the top of the rod, pointing to the right. The rod is shown in a slightly bent position, with a dashed vertical line indicating its original straight position. An arrow at the top points to the right, indicating the direction of the force.

### Observations

|   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|